From: postmaster@wildlifecomputers.com [postmaster@wildlifecomputers.com]
Sent: 11/25/2020 7:50:21 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 7:50:33 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 7:50:33 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
< #5.1.10 smtp;550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient Ex. 6 Personal Privacy (PP) not found by SMTP address lookup>

Delivery has failed to these recipients or groups:

Ex. 6 Personal Privacy (PP)

Your message was rejected by the recipient email server. Please check the recipient's email address and try resending your message, or contact the recipient directly. For more tips to help resolve this issue, see DSN code 5.1.0 in Exchange Online - Office 365. If the problem continues, contact your email admin.

Diagnostic information for administrators:

Generating server: CY4PR22MB0999.namprd22.prod.outlook.com

Ex. 6 Personal Privacy (PP)

Remote Server returned '554 5.1.0 < #5.1.10 smtp;550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient Ex. 6 Personal Privacy (PP) not found by SMTP address lookup>'

Original message headers:

Received: from BL1PP13CA0053.namprd13.prod.outlook.com (2603:10b6:208:257::28)
 by CY4PR22MB0999.namprd22.prod.outlook.com (2603:10b6:903:e4::23) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 19:50:21 +0000
Received: from BL2NAM02FT061.eop-nam02.prod.protection.outlook.com
 (2603:10b6:208:257:cafe::29) by BL1PP13CA0053.outlook.office365.com

(2603:10b6:208:257::28) with Microsoft SMTP Server (version=TLS1_2,
cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3632.6 via Frontend
Transport; Wed, 25 Nov 2020 19:50:20 +0000
Authentication-Results: spf=softfail (sender IP is 207.211.31.81)
smtp.mailfrom=epa.gov; wildlifecomputers.com; dkim=fail (body hash did not
verify) header.d=epa.gov;wildlifecomputers.com; dmarc=fail action=oreject
header.from=epa.gov
Received-SPF: SoftFail (protection.outlook.com: domain of transitioning
epa.gov discourages use of 207.211.31.81 as permitted sender)
Received: from us-smtp-1.mimecast.com (207.211.31.81) by
BL2NAM02FT061.mail.protection.outlook.com (10.152.77.7) with Microsoft SMTP
Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id
15.20.3589.20 via Frontend Transport; Wed, 25 Nov 2020 19:50:20 +0000
ARC-Message-Signature: i=2; a=rsa-sha256; c=relaxed/relaxed;
        d=dkim.mimecast.com; s=201903; t=1606333820;
        h=from:from:reply-to:subject:subject:date:date:message-id:message-id:to:
         cc:mime-version:mime-version:content-type:content-type:dkim-signature;
        bh=eah7iUwm58iNT1jVY105QF2dUgDusOpO9wiDiMPeiEA=;
        b=PBe7ST7bNTAoT/XvUXnTA+f7HZ2YArakSrLgexw/BVB2j9mz7YHb+yz7Go/Q5tAqhD35ov
        +jIh9dDKQsRDtpJYHHv2ZnCtfkF71gbmxtWElgNdAqrtFyggzxXMOrsPOixMbKRmd4Ju7A
        9LFTo416nXzOoHryZlhqeqQr3YAIoLbfvKGc6cVzkTCPBkUBi0PzhcERz50k8hrgSWKExT
        hudqyF0YUbAuf2Y06e7oU0XGIVhwcXJYt7XFUpF+np9YywATJm4XZNq/Vm6QVVh97YzW2P
        0J87KKgzohPaEukklzUEHwfz/uqJJ2f6wStM09wbncsd32HlhrCJh9i4YgrmIg==
ARC-Seal: i=2; s=201903; d=dkim.mimecast.com; t=1606333820; a=rsa-sha256;
        cv=pass;
        b=PcFpyoSBk/XwuxBYgHsVgw9fpbLlLtqszh2h2U5YDGnmvruJwuj56h+UIjGO3HzfOD2JBx
        9xsOZGAJvpumQxtvhqLs8H7mC73Trfy3Nnca52pCfceEmZudS6rGne0uOZ6COFYDwydKQU
        NF/zrZoMbOATyilndbv6ju/XoNoobj/nSCardNdP8zMK5PhD2pTqYJ9gg97Vvarxnj4uuZ
        DYC+slCNBDD0tVCfJ3sA15A5Wcn2j1a+0DLpPFYHh7two4slRkAKvJfHqA0FRH1oQdhqYc
        gMICToqazIEGYrVwXp6cznoyrmPpYS8KY9LNXW0Uf79ziBY3yb+eIbbHimpsRQ==
ARC-Authentication-Results: i=2;
        relay.mimecast.com;
        dkim=pass header.d=epa.gov header.s=selector2 header.b=ReRoELIX;
        arc=pass ("microsoft.com:s=arcselector9901;i=1");
        dmarc=pass (policy=reject) header.from=epa.gov;
        spf=pass (relay.mimecast.com: domain of robinson.valois@epa.gov designates
40.107.89.99 as permitted sender) smtp.mailfrom=robinson.valois@epa.gov
Received: from GCC02-BL0-obe.outbound.protection.outlook.com
 (mail-bl2gcc02on2099.outbound.protection.outlook.com [40.107.89.99]) (Using
 TLS) by relay.mimecast.com with ESMTP id
 us-mta-263-THjegH2DNa-7m4VMS1SSDQ-1; Wed, 25 Nov 2020 14:50:17 -0500
X-MC-Unique: THjegH2DNa-7m4VMS1SSDQ-1
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=LHv6QH4dhLPftS7PJ1DVXpWWaXpN3nIBMMV4U1HNi5zhFRdm7UDuo3lzrcwwhIfRtrFtWyl6jWtmhFPAZEwwJb3
pHCh24T5ZjfWPM1z5czlNpiHXGd1LIQoRpTy5WwfqTZQmelgR6QQWYCdCGHMS2hF0TS5hip3gH8gUZeYqhepdIzAn
fKZU7CTZqLDKLXfw2mnVL9axUGlBKQLcUuoaHzLgWCpGycH2snXNjPs7uVibgzscpTTjNkdGsDelhXVmzVXLgs0ls
KKTEwnVCcn6LMzRGOhw1s80QJk7X8XEkydowG4mdX21TTAJFy/qoEs15PxhyQ6TH5Vfr/BJ9df06A==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=u3N1qKUWGq3HLpdO6jt0CnUmOFQxPoKUq2XnWzC3JMg=;

b=SPoO5aJSuOa6A/4BX+aZ8emMc6uMoY0UHGLrD9LP18uYrp5c5OUnMGwTtz7vPEh/6nrWsw1La25VmXqjpHIoLwn
zVp1D4QB0m7ptrzb7L5+0A04vk6HPcobEBFyQqTUctgfGdjXj3T8axD5SWSQBn104XK+Lqc5/waE/3YJBXoL82VbI
+gMauzG2F/+hgELe6sv303xcyqPDqg9Rvo3H35POZ2uK70JhFm/KTSnFojaw7aonYou1e6P6edqBCEhgYbrgoLl/N
b/J+Z9o7KLndYq+gqzQ2bNpzWHvd/1k4Bgx7KfTH1YykKPIULNdXFZhoUofqJx4BxLsEiN3Z+1kiw==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=u3N1qKUWGq3HLpdO6jt0CnUmOFQxPoKUq2XnWzC3JMg=;

b=RePoELIKiwwDomKauebiNWYxqAOla0c+JUtgwKmaetTVS8PLNEB0URdqSIR4pj6QoGU4nvLobo0saBBmN9Blvy6
hdtoNhBjl39Ytd4bUHgYLEeRmm3NWt+8Mv7HjJvSCs2EUf9+zQbdnthWZ5PS4fwTpvXS4h/eO3EMVNZ5WhkQ=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (20.181.144.207) by
 DM8PR09MB6839.namprd09.prod.outlook.com (20.181.144.84) with Microsoft SMTP
 Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id
 15.20.3611.20; Wed, 25 Nov 2020 19:50:14 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 19:50:14 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDY9Im52nCx9mNTLa8ld9uwFixhQ==
Date: Wed, 25 Nov 2020 19:50:13 +0000
Message-ID:
<DM8PR09MB6469EC375806CS33EF55E635F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
x-originating-ip: [97.118.130.155]
x-ms-publictraffictype: Email
X-MS-Office365-Filtering-Correlation-Id: 0d21b39c-deaa-4665-96de-08d8917b574a
x-ms-traffictypediagnostic: DM8PR09MB6839:|CY4PR22MB0999:
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM8PR09MB683912AD36AB63895AF899B8F4FA0@DM8PR09MB6839.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:5236
x-ms-exchange-senderadcheck: 1
X-Microsoft-Antispam-Untrusted: BCL:0
X-Microsoft-Antispam-Message-Info-Original:
o/rhBjgugXjOE40z9t/UfwbcRP7joBOErSip5/DZDPvforDUJXL2B8sL1458NPO05cICONaUvn/LgJxD47RQtgGhD
1i/rGQ9E0cvwbbfwwoRPlyuIfw5F8Scit+2lXrQCGcCGg/wOvrpGHksOgyPVUCWa0TOLB9Lbelht0O+lpRsvEDDcl
E3v3HMcN4LufkfAE8aiIgRbXxfiwqRx9Z8h+6X3ttC6gKz8k8+CN2hlvaUcj97Tsr63zgjBYPSOtDvmknoyEyrHvE
vaa5zhpmUaAR9NU+E4o6AwpyEuUn34KuhTCUFJd6Hovobnct3LfibEUoc0vY+relmYxCNMepUbpUKDjtjmrfEVw4Q
I5CunEn87UZU9BocUXImzM4I+jWWWiSNERxQEYYIhMUWxXSGBA2QxVvwMzMQ/e8jv7Dvmce+uux3pf73vqf05ayMHI
PrHybrewd2i6UvTnEo05dwPazekiSgmzZueVH3NaYOZcsEoVpZUs6vrrlF0rk0mjoIi
X-Forefront-Antispam-Report-Untrusted:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(136003)(366004)(346002)(39860400002)(376002)(3
96003)(7406005)(7336002)(6506007)(52536014)(26005)(33656002)(7416002)(109986005)(55016002
)(9676002)(2906002)(7276002)(7366002)(8936002)(7696005)(7120400001)(6476007)(186003)(31
6002)(64756008)(5660300002)(76116006)(9686003)(66556008)(66446008)(66946007)(89122003)(96
6005)(478600001)(166002)(88732003)(4744005)(65686005)(86362001)(76576003)(83080400002)(10
5050200002);DIR:OUT;SFP:1102
x-ms-exchange-antispam-messagedata:
nlrfQy5piaAwriyPMY/CtVJOnzjN1ULTiuyv7/wPfHW7oLef+xKZVvARpSOjHf3F+dpbElfFwSaP2ZP2Y7XKSfz3A
8Qi776E4bBqblwxEx8BqtOlSRLPNcXiXkdPaJbIdwXhLyhu6s42iQyJlhEeb+3e7ZRv0xVsxBHMTHX0hj6lmu6lGb
1Xu9YS3iFdBVY2lZk0ZfEL6cOH/5dGMNoTiJZbiNZ10mWP4mwit9C0ybIMhI66Iy3+70XzUcmnNy2ySGO7LdYn0SO
QCvHW91El90jKEdIvqfuLByVTO30Bs6NwGpVNxgLWHVmDRytLrBZPJf5mGkvJcVyCYkHMceyEUM8DoWEVordMQAXp
BN3yt60PlnEEEliS8FKaQzwnfzudtGrHYASsw+X9Q4BGtYrcanINFlrJYPiy0qm/EErlhlmb8wQMmYKeeW3y9hTOx
Wcdu7uYGMZxJREXkrbHeZBy8dfq3f7EgZ/COqAt5eHDjZIPsLlfcQV7XWpPpGpY7ADD2BzB0pESwF/GurxuY87Jd7
UlYY4n2uNExrhkIiSc6pefIzYD1V3uUQq9htsYmPCd5k0BMZPWJPTgN/ZJ2MfOBgP6jE80GDY96KPV9nwdYEX682P
dxlR/BL1j9dgfoqrlRTdpo/fqttjgF4HFxjeLMsJn4IM4BgWw7ofhG9hPDsStaTYeWVICCCqFfD2DH6TObxZkDKMN
jmu5dOkR6tzN7WnkX+rWDPrmB/PSaGSR/Ib7Tg1xEMiRF96SClsPV2elUNJkwR8HpYbkx9nLjL4gzNle6q/5zVb3L
9rBKw/BCyFuzH36CMksEWHOyOJ8PvhvGUgHvcv71Bs3eJgAb6QoZCQQtH3cNjL/0HxLuQCuTJVeYGIX0OIAqyggFf
d5zrUc6f3NxT3ifQJaDL6Uz8IfuQ==
x-ms-exchange-transport-forked: True
MIME-Version: 1.0
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM8PR09MB6839

Authentication-Results-Original: relay.mimecast.com; dkim=pass
 header.d=epa.gov header.s=selector2 header.b=ReRoELIX;   arc=pass
 ("microsoft.com:s=arcselector9901:i=1");   dmarc=pass (policy=reject)
 header.from=epa.gov; spf=pass (relay.mimecast.com: domain of
 robinson.valois@epa.gov designates 40.107.89.99 as permitted sender)
 smtp.mailfrom=robinson.valois@epa.gov
X-Mimecast-Spam-Score: 2
To: Undisclosed recipients:
Return-Path: robinson.valois@epa.gov
X-EOPAttributedMessage: 0
X-EOPTenantAttributedMessage: cd3cf168-4433-41db-a32f-45b3b68953dd:0
X-MS-Exchange-Transport-CrossTenantHeadersStripped: BL2NAM02FT061.eop-
nam02.prod.protection.outlook.com
X-MS-Office365-Filtering-Correlation-Id-Prvs: 50a8d897-0b52-4761-d0d8-08d8917b53e9
Content-Language: en-US
Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB6469EC375806C833EF55E635F4FA0DM8PR09MB6469namp_"